

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	161	235/462.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:59
L2	452	705/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:59
L3	917	235/385.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:59
L4	919	235/462.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:59
L5	1372	705/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:59
L6	4	coupon same barcode same expiration	USPAT	OR	OFF	2005/12/23 09:59
L7	4	expiration same (bar adj code) same calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:06
L8	1292	(time same ((bar adj code) or barcode)) and expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:06
L9	560	calculate same expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:06
L10	169	((time same ((bar adj code) or barcode)) and expiration) and merchandise) and set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:06

S1	2	"20020130184"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 18:01
S2	4	"5367148".pn. "5786584".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:22
S3	123	235/462.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:25
S4	366	705/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:25
S5	755	235/462.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:25
S6	1094	705/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:25
S7	696	235/385.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:25
S8	930	(time same ((bar adj code) or barcode)) and expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:54
S9	1581	palm adj pilot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:54
S10	106	S9 and barcode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:54

S11	2	"6308893".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 18:09
S12	874	235/472.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 18:10
S13	351305	fujitsu.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:28
S14	1254	fujitsu.as. and (bar adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:02
S15	65	((fujitsu.as. and (bar adj code))) and merchandise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:06
S16	6	((fujitsu.as. and (bar adj code))) and merchandise and expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:02
S17	26893	tec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:06
S18	241	tec.as. and (bar adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:06
S19	9	(tec.as. and (bar adj code)) and merchandise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:08
S20	1	merchandise same control same expiration same (barcode or bar adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:15

S21	0	merchandise adj control same expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:16
S22	0	(merchandise adj control) same expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:16
S23	12071	time same (bar adj code or barcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:19
S24	12071	time same ((bar adj code) or barcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:19
S25	118	((time same ((bar adj code) or barcode)) and expiration) and merchandise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:19
S26	106	((((time same ((bar adj code) or barcode)) and expiration) and merchandise) and set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 12:37
S27	10	("4866661" "4973828" "5448044" "5469363" "5590038" "5739512" "5821513" "5845256" "5953234" "6003006").PN.	USPAT	OR	OFF	2004/03/05 12:29
S28	2	"6327576".URPN.	USPAT	OR	OFF	2004/03/05 12:30
S29	11	235/462.13.ccls. and merchandise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 13:03
S30	0	("6327576".pn. "6148091".pn.) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 13:04
S31	0	((("6327576".pn. "6148091".pn.) and error) and set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 13:04

S32	4	"6327576".pn. "6148091".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 14:09
S33	133	235/462.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 20:59
S34	391	705/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 20:59
S35	809	235/462.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 20:59
S36	1168	705/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 20:59
S37	756	235/385.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:00
S38	1026	(time same ((bar adj code) or barcode)) and expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:00
S39	2	merchandise same control same expiration same (barcode or bar adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:00
S40	134	((time same ((bar adj code) or barcode)) and expiration) and merchandise) and set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:00
S41	4	barcode same electronics same expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:20

S42	2	"6,308,893".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:30
S43	9354	time adj error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:31
S44	1785	S43 and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:31
S45	164	S44 and expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:31
S46	8	S45 and barcode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:32
S47	2	"6,327,576".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:34
S48	11	"5,786,584"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:34
S49	2	"5,786,584".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:34
S50	2	expiration same barcode same time same error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 21:35
S51	0	("2004/0103023").URPN.	USPAT	OR	OFF	2005/02/17 21:36
S52	0	coupon same barcode same expiration same error	USPAT	OR	OFF	2005/02/17 21:36
S53	4	coupon same barcode same expiration	USPAT	OR	OFF	2005/02/17 21:39

S54	0	barcode same expiration same comparison same error	USPAT	OR	OFF	2005/02/17 21:39
S55	1	barcode same expiration same comparison same time	USPAT	OR	OFF	2005/02/17 21:40
S56	0	comparison same adjust same error same expiration same barcode	USPAT	OR	OFF	2005/02/17 21:41
S57	549	comparison same adjust same error	USPAT	OR	OFF	2005/02/17 21:41
S58	0	S57 and barcode	USPAT	OR	OFF	2005/02/17 21:41
S59	15	S57 and expiration	USPAT	OR	OFF	2005/02/17 21:41
S60	4	S59 and code	USPAT	OR	OFF	2005/02/17 21:41
S61	2	"6131399".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:32
S62	2	"5997928".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:48
S63	0	expiration same barcode same calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:48
S64	4	expiration same (bar adj code) same calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:51
S65	537	calculate same expiration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:52
S66	18	S65 and barcode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:52
S67	46	S65 and (bar adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:52
S68	0	("2004/0019453").URPN.	USPAT	OR	OFF	2005/09/03 19:56
S69	3	S66 and error	USPAT	OR	OFF	2005/09/03 19:57

S70	10492	time adj error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:57
S71	0	S70 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:58
S72	0	S70 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 19:58
S73	143	235/462.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 20:20
S74	421	705/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 20:21
S75	866	235/462.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 20:21
S76	1309	705/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 20:21
S77	851	235/385.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 20:23
S78	2	"5786584".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/03 20:23

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[New!](#)
[more »](#)

time setting barcode error

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 2,730,000 for **time setting barcode error**. (0.41 seconds)**Cannot add barcode control to toolbox or form in Visual Studio .NET**

Error - "Server error in '\ application – run-time error ... can not be run simply out of a directory set up under the root directory of the web server. ...

www.idautomation.com/kb/server-application-error.html - 6k - [Cached](#) - [Similar pages](#)

Technical Support: Technical Support Site: Priority Support and ...

For exchanges or returns of the NiceLabel **Barcode** Label Software products ... Control produces run-time error -2147417848 on computer running Windows XP SP2 ...

www.idautomation.com/support.htm - 51k - Dec 21, 2005 - [Cached](#) - [Similar pages](#)

[[More results from www.idautomation.com](#)]

Remote Access to Online Resources

Select Baker College from the list of libraries, enter your **barcode**, and login.

Setting the clock in your computer to show the correct local **time** is very ...

<http://www.baker.edu/library/dlls/handouts/remoteaccess.htm> - 44k - [Cached](#) - [Similar pages](#)

DVD to Mp3, CD DVD Audio Ripper, DVD Player Freeware Shareware ...

Create flowchart and network diagram with minimum **time** loss! ... Softek **Barcode** Reader Toolkit 6.1.1 Toolkit to read barcodes from TIF, JPG, BMP files and ...

www.brothersoft.com/ - 58k - [Cached](#) - [Similar pages](#)

Biomek® ATBCR Automated Tube Bar Code Reader

Ignoring the **error** and continuing the method; Identifying the **error** and continuing the method; Using a pre-specified **bar code**; Prompting the user for ...

www.beckman.com/products/instrument/automatedsolutions/integsystems/biomek_atbcr_inst_dcr.asp - 39k - Dec 22, 2005 - [Cached](#) - [Similar pages](#)

Introduction to barcode - Bar Code Symbolologies

... **bar code** symbology that essentially consists of a stacked **set** of smaller bar

... The symbology also allows for varying degrees of data security or **error** ...

www.taltech.com/TALtech_web/resources/intro_to_bc/bcsymbol.htm - 47k - [Cached](#) - [Similar pages](#)

Wasp Bar Code - Error

With WaspTime **Time** and Attendance Basic you can enjoy the benefits of an automated **time** and tracking system with the proven technology of **barcode**-based ...

www.waspbarcode.com/mailto:customerservice@waspbarcode.com - 162k - [Cached](#) - [Similar pages](#)

New tape drive configuration settings are available in Backup Exec ...

Barcode Rules must be configured for the tape device prior to **setting** the media

... or "Incorrect function" **error**. <http://support.veritas.com/docs/269712> ...

support.veritas.com/docs/259030 - 25k - [Cached](#) - [Similar pages](#)

Skandata SkanPack for Percon Portables

Includes Skandata.ttf for **Bar Code** printing. ... Record Date and **Time** of Last File Upload Date and **Time** of Last File Delete **Setting** of Current **Time** and Date ...

www.skandata.com/percon.html - 14k - [Cached](#) - [Similar pages](#)

BarCode1 FAQ

Google Groups results for time setting barcode error

Try your search again on Google Book Search

